

ORTHOPAEDIC IMPLANTS

Catalogue



Address:
City Mall 2nd floor Office # 16
Kutchery Road Near FBR
51310 Sialkot - Pakistan.

Phone : +92-333-4083794
☎ : +92-346-6676140
E-Mail : usman@dynaintlshop.com
Website: www.dynaintlshop.com

Orthopaedic Implants



002
Malleolar Screw 4.5mm
Length 20mm to 90mm



004
Emergency Screw
4.5mm Self Tapping
Length 12mm to 80mm



005
Cancellous Screw
6.5mm Full Thread
Length 25mm to 120mm



006
Cortical Screw 4.5mm
Length 12mm to 110mm



007
Cancellous Screw
6.5mm Thread 32mm
Length 40mm to 120mm



008
Cortical Screw 2.5mm
Length 6mm to 30mm



009
Cortical Screw 2.7mm
Length 6mm to 40mm



010
Cortical Screw 3.5mm
Length 10mm to 60mm



011
Cortical Screw
3.5mm Fine Pitch
Length 10mm to 60mm



012
Cannulated Screw
6.5mm 16 & 32 Thread
Length 35mm to 120mm



014
Cannulated Screw
7.0mm 16 & 32 Thread
Length 35mm to 120mm



013
Cannulated Screw
4.5mm Short & Full Thread
Length 20mm to 80mm

Orthopaedic Implants



015

Cortical Screw 1.5mm
Length 6mm to 20mm
With Hex & Cross Slot



016

Cortical Screw 2.0mm
Length 6mm to 30mm
With Hex & Cross Slot



017

Cannulated Screw



018

Cannulated Screw
3.5mm Full Thread
Length 14mm to 80mm



019

Locking Screw
Length 20mm to 100mm



020

Cortical Type
5mm 16 Thread
Self Tap 2 Cut
Length 20mm to 100mm



022

Small Cancellous Screw
4.0mm Short Thread
Length 10mm to 60mm



023

Small Cancellous Screw
4.0mm Full Thread
Length 10mm to 60mm



021

Malleolar Screw 3.5mm
Length 15mm to 60mm



026

Cortical Type 5mm
H-Thread
Self Tap 2 Cut
Length 20mm to 100mm



027

Cortical Type
F-Thread 4.5mm
Self Tap 2 Cut
Length 20mm to 70mm



028

4mm Flat Type
Full Thread Self Tap 3 Cut
Length 20mm to 70mm



029

V Type 5mm
Full Thread Self Tap 2 Cut
Length 20mm to 100mm

024

Cortical Type 5mm
32 Thread
Self Tap 2 Cut
Length 20mm to 100mm

025

Cortical Type 5mm
F-Thread
Self Tap 2 Cut
Length 20mm to 100mm

Orthopaedic Implants



030

Cancellous Screw
6.5mm Straight Head
Length 40mm to 60mm



031

Cancellous Screw
6.5mm Flat Head
Length 40mm to 100mm



032

Flat Type 5mm
Self Tap Full Thread 3 Cut
Length 20mm to 100mm



033

4mm Flat Type
Full Thread malleolar End
Length 20mm to 70mm



034

4mm Flat Type
Full Thread Self Tap 3 Cut
Length 20mm to 70mm



035

Cortical Type
H-Thread 4.5mm
Self Tap 2 Cut
Length 20mm to 70mm




036

Flat Type 5mm
Malleolar End Full Thread
Length 20mm to 100mm



037

Cancellous Screw
3.5mm Short & Full Thread
Length 12mm to 60mm



038

Cortical Type
H-Thread 4.5mm
Self Tap 2 Cut
Length 20mm to 70mm

Orthopaedic Implants




039
Cancellous Screw
4.5mm Short & Full Thread
Length 12mm to 80mm



040
Flat Type 6.4mm
F-Thread Malleolar End
Length 30mm to 100mm



041
Cannulated Type 6.4mm
23 Th Self Tap 2 Cut
Length 40mm to 100mm



042
V Type 6mm
F-Thread Self Tap 2 Cut
Length 25mm to 100mm

043


Condylar Buttress Plate (L+R)
Ranges between 5 holes to 10 holes

044

Cobra Head Plate
Ranges between 6 holes to 10 holes

045

LC - DCP Broad Plate
Ranges between 4 holes to 12 holes
Available in Swiss Pattern



Orthopaedic Implants

046

Pelvic Re-Construction Plate
3.5mm Curved
Range between 6 holes to 18 holes

047

Maxillo-Mandibular
Re-Construction Plate Chain Like
Ranges between 4 holes to 22 holes

048

Re-Construction Plate 4.5mm
Ranges between 4 holes to 20holes

049

Re-Construction Plate 3.5mm
Ranges between 4 holes to 24 holes

050

Board Lengthening Plate
Ranges between 170mm to 250mm
in 9 Sizes

051

LC - DCP Broad Plate
Ranges between 4 holes to 24 holes

052

Hook Shaped Bone Plate
Available in Standard Sizes

053

LC - DCP Small Plate
Ranges between 2 holes to 14 holes

054

LC - DCP Narrow Plate
Ranges between 2 holes to 20 holes

055

Re-Construction Plate 2.7mm
Ranges between 4 holes to 20 holes

Orthopaedic Implants

056

DCP Small Plate

Ranges between 2 holes to 14 holes
Available in Aesculap & Swiss Pattern

057

Small Fragment Plate 2.7mm

Ranges between 2 holes to 12 holes
Available in Aesculap & Swiss Pattern



058

Straight Mini Plate 20H

059

Straight Micro Plate

Ranges between 4 holes to 10 holes



060

DCP Board Plate

Ranges between 4 holes to 24 holes
Available in Aesculap & Swiss Pattern

061

DCP Narrow Plate

Ranges between 2 holes to 20 holes
Available in Aesculap & Swiss Pattern

062

Small T-Plate x3 (Oblique Angle)

Ranges between 3 holes to 8 holes

063

Small T-Plate x3 (Right Angle)

Ranges between 3 holes to 8 holes

064

Small T-Plate x4 (Right Angle)

Ranges between 3 holes to 8 holes

065

Cervical Spine Head-Plat

Available in Standard Sizes

066

Multiple Fragment Plate 2.7

Available in Standard Sizes



Orthopaedic Implants

067

One Third Tubular Plate

Ranges between 3 holes to 14 holes

068

Quarter Tubular Plate

Ranges between 3 holes to 12 holes

067

068



069

Semi Tubular Plate

Ranges between 2 holes to 12 holes

070


Standard T-Plate

Ranges between 4 holes to 12 holes

071

L-Plate (L+R)

Ranges between 4 holes to 10 holes



072

T-Buttress Plate

Ranges between 4 holes to 12 holes

073

L-Buttress Plate (L+R)

Ranges between 4 holes to 10 holes

074

S- Buttress Plate (L+R)

Ranges between 3 holes to 6 holes



Orthopaedic Implants

075

Mini T-Plate 1.5mm

Available in Standard Sizes

076

Mini T-Plate x 4

Available in Standard Sizes

077



Mini T-Plate 2.7mm

Available in Standard Sizes

078

Mini T-Plate 2mm

Available in Standard Sizes



079

Mini H-Plate

Available in Standard Sizes

080

Mini L-Plate (L&R)

Oblique Angled

Available in Standard Sizes

081

Mini L-Plate 90° (L&R)

Available in Standard Sizes

082

Mini Straight Plate

Ranges Between 2 holes to 20 holes

083

Mini Condylar Plate

Available in Standard Sizes

Orthopaedic Implants

084

Proximal Tibia Plate (L+R)

Ranges between 7 holes to 13 holes

085

Distal Tibia Plate (L+R)

Ranges between 7 holes to 13 holes

086

Distal Femur Plate (L+R)

Ranges between 7 holes to 13 holes

087


Narrow Lengthening Plate

Ranges between 135mm to 175mm
in 7 Sizes

088

Tibial Plate (L+R)

Ranges between 3 holes to 6 holes



089

Orbital T-Type 3x3

Available in Standard Sizes

090

Orbital T-Type 2x4

Available in Standard Sizes

091

Micro Plate With Gap

Available in Standard Sizes

092

Orbital H-Type

Available in Standard Sizes

093

Orbital Y-Type

Available in Standard Sizes

094

Micro Plate Without Gap

Available in Standard Sizes

Orthopaedic Implants

095

Cloverleaf Plate

Ranges between 3 holes to 10 holes

096

Spoon Plate

Ranges between 3 holes to 10 holes



097

Cobra Head Plate

Ranges between 6 holes to 12 holes

098


Sherman Bone Plate

Ranges Between 2 holes to 8 holes in 10 Sizes

099

Laterale Tibia Plate (L+R)

Ranges between 5 holes to 13 holes



100

Jewet Nail Plate 135°

Ranges Between 4 holes to 16 holes
Blade Length 50mm & 120mm

101

Special Jewet Nail Plate 130°

Ranges Between 4 holes to 10 holes
Blade Length 50mm & 120mm

102

Northampton Nail

Available in Standard Sizes



Orthopaedic Implants

103

DHS Trochanter Stabilizing Plate
Available in Standard Sizes

104

Casper Trapezial Plate
For Cervical Spine
Length 28mm to 88mm in 16 Sizes



105

Calcaneal Plate
Length 60mm & 70mm (L&R)



106

Y-Plate
Available in Standard Sizes

107

Y-Plate Re-Construction Type
Available in Standard Sizes

108

LAG Screw for DHS& DCS
Ranges Between 50mm to 120mm

109


LAG Screw for DHS& DCS
Ranges Between 50mm to 120mm

110

Marquardt Bone Plate Forked 85"
Available in Standard Sizes

111

Compression Screw
Available in Standard Sizes



Orthopaedic Implants



112

Dynamic Hip System 135° Long Barrel
Ranges Between 2 holes to 20 holes

113

Dynamic Hip System 135° Short Barrel
Ranges Between 2 holes to 16 holes

114

DCS 95°
Ranges Between 4 holes to 24 holes

115

Angled Plate for Intertrochanteric
Semoral Osteotomies 120°
Available in Standard Sizes

116

Condylar Blade Plate 95°
Ranges Between 4 holes to 20 holes
Blade Length 50mm to 120mm

117

Angled Blade Plate 130°
Ranges Between 4 holes to 16 holes
Blade Length 50mm to 120mm



118

Screw Driver Extra Length Hex 4.5

119

Screw Driver Hex 4.5

120

Screw Driver Hex 2.7 & 3.5

Orthopaedic Implants

121

Paedical Screw Driver Female

122

Cannulated Screw Driver 4.5

123

Paedical Screw Driver Male

124

Screw Driver Cross 2.0mm Nurling

121

123

124

122

125

126

127

128

125

Screw Driver Cross Bending 2.0mm

126

Screw Driver Cross 1.5mm

127

Screw Driver Slot 1.5 & 2.0 mm

128

Screw Driver Cross 2.0mm

131

Harrington Hook
Small (Sharp & Blunt)

132

Harrington Hook
Large (Sharp & Blunt)

133

Cancellous Washer
4.0mm & 6.5mm

134

C-Washer

131

132

133

134

129

Cerclage Wire
Available in Standard Sizes


130

Suture Wire with Spool
Available in Standard Sizes


Orthopaedic Implants




135
Single Hole Plate
Available in Standard Sizes



136
Drill Bit
Available in Standard Sizes




137
Schanz Screw
Available in Standard Sizes




138
Harrington Rod
Available in Standard Sizes

139
Kuntscher Nail Femoral
Available in Standard Sizes



140
Kuntscher Nail Tibia without Collar
Available in Standard Sizes




141
K Wire
Available in Standard Sizes



142
A Wire
Available in Standard Sizes



143
Rush Nail
Available in Standard Sizes



144
Kuntscher Nail Tibia with Collar
Available in Standard Sizes



145
Steinmann Pin
Available in Standard Sizes

Orthopaedic Implants

146

DCP Broad Plate

Ranges Between 4 holes to 12 holes
Available in Swiss Pattern

147

DCP Narrow Plate

Ranges Between 4 holes to 12 holes
Available in Swiss Pattern

148

DCP Small Plate

Ranges Between 4 holes to 10 holes
Available in Swiss Pattern



149

Double Hole Plate

Available in Standard Sizes

150

Z-Plate

Available in Standard Sizes

151

H-Plate

Available in Standard Sizes

152

Casper Trapezial Plate for Cervical Spine

Available in Standard Sizes

153

LC-DCP Small Plate

Ranges Between 4 holes to 10 holes
Available in Swiss Pattern

154

LC-DCP Narrow Plate

Ranges Between 4 holes to 12 holes
Available in Swiss Pattern

155

Dynamic Hip System 135°


Long Barrel

Ranges Between 3 holes to 10 holes

156

Compression Screw

Available in Swiss Pattern



Orthopaedic Implants

157



Re-Construction Plate 3.5mm
Ranges Between 4 holes to 20 holes

158

Re-Construction Plate 4.5mm
Ranges Between 4 holes to 12 holes


159

Re-Construction Plate 1.5 & 2.0mm
Available in 20 holes



160

Poly Axel Screw Set
Available in Standard Sizes



161

Pedical Screw Set
Available in Standard Sizes

162
Cortical Screw
(Cross & Hex)
2.0mm



163
Cortical Screw
(Cross & Hex)
2.7mm



164
Cancellous Screw
6.5mm
Full Thread



165
Cortical Screw
3.5 & 4.5mm



166
Small Cancellous Screw
4.0mm Full Thread



167
Cannulated Screw
6.5mm 16 & 32 Thread



168
Cancellous Screw
(For Z-Plate)
4.0mm



170
Cortical Screw
(Cross & Hex)
1.5 & 1.75mm




171
Cortical Type Check Sign
Full Thread 4.5mm
Self Tap Cut
Length 20mm to 70mm



169
Malleolar Screw
4.5mm





ORTHOPAEDIC IMPLANTS
Catalogue